INT. J. PROD. RES., 1990, VOL. 28, NO. 12, 2413–2421

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdel-Malek, L. L., and Li, Zhiming: The application of inverse kinematics in the optimum sequencing of robot tasks 75
Abdou, G., and Dutta, S. P.: An integrated approach to facilities layout using expert systems 685
Archard, G., and Proth, J. M.: Fast evaluation of an unreliable transfer line with limited transportation devices 301
Afentakis, P., Millen, R. A., and Solomon, M. M.: Dynamic layout strategies for flexible manufacturing systems 311
Affisco, J. F., see Nasri, F.
Agrawal, P. K.: Methods of improving subjective measurement by a single judge . 267
Akella, R., Maimon, O., and Gershwin, S. B.: Value function approximation via linear programming for FMS scheduling 1459
Al-Qattan, I.: Designing flexible manufacturing cells using a branch and bound method 325
Alami, R., see Freedman, P.
Alie, Y., see Lefrancois, P.
Anderson, E. J., and Nyirenda, J. C.: Two new rules to minimize tardiness in a job shop 2279
Aneja, Y. P., see Rajamani, D.
Askin, R. G., and Chui, Kuohung Simon: A graph partitioning procedure for machine assignment and cell formation in group technology 1555
Askin, R. G., see Chen, Yung-Jung

Badinelli, R. D.: The inventory costs of common mis-specification of demand-forecasting models 2321
Baker, K. R., Powell, S. G., and Pyke, D. F.: Technical note. The performance of push and pull systems: a corrected analysis 1713
Barad, M.: A break-even quality level approach to location of inspection stations in a multi-state production process 29
Bareggi, A., see Garetti, M.
Barker, R. C.: Input adaptive strategy: Formulation development and application of a functional manufacturing strategy 675
Bedworth, D. D., see Chan, D.-Y.
Ben-Arieh, D., and Dror, M.: Part assignment to electronic insertion machines: two machine case 1317
Ben-Arieh, D., see Dror, M.
Berry, W. L., see Sridharan, V.
Bhaskaran, K., Process plan selection 1527
Biagini, G., and Goldfeder, M. E.: Discussion. A note on 'A closed form solution for the G/M/r machine interference model' by B. D. Bunday and E. Khorram . . 1215
Biermann, J. S., see Co, H. C.
Bischak, D. P., see Kelton, W. D.
Blauw, J. N., and During, W. E.: Adoption of an organizational innovation: total quality control in industrial firms 1831
Blount, G. N., see Rahbary, M. A.
Blumenfeld, D. E.: A simple formula for estimating throughput of serial production lines with variable processing times and limited buffer capacity 1163
Browne, J., see Copas, C.
Bullington, S. F., see Shin, W. S.
Buzacott, J. A.: Abandoning the moving assembly line: models of human operators and job sequencing 821

Case, K. E., see Koo, T.-Y.
Causey, D. W., see Shin, W. S.
Chan, D.-Y., and Bedworth, D. D.: Design of scheduling system for flexible manufacturing cells 2037
Chandra, J., see Zhou, Chen
Chandra, M. J., see Schall, S. O.
Chandrasekharan, M. P., see Kumar, C. S.
Chandrashekhar, S., Chatterjee, S., and Gaiser, M.: An experimental investigation into the influence of ZrN and TiN coatings on drills in drilling Hasteloy 1759
Chang, C.-M., and Young, L.: A simultaneous-mounting process for automated printed circuit board assembly 2051
Chang, J. C., see Vohra, T.
Chang, Y.-L., see Hutchinson, J.
Chang, Yih-Long, and Sullivan, R. S.: Schedule generation in a dynamic job shop . 65
Chanin, M. N., Kuei, C.-H., and Lin, C.: Using Taguchi design, regression analysis and simulation to study maintenance float systems 1939
Chatterjee, S., see Chandrashekhar, S.
Chaudhury, A., and Whinston, A. B.: Towards an adaptive Kanban system . . 437
Chen, C. S., see Ram, B.
Chen, D.-S., see Vohra, T.
Chen, Da-Pan, see Lee, An-Chen
Chen, F. F., see Ventura, J. A.
Chen, H.-C., see Vohra, T.
Chen, Jiang, see Wang, Shu-Chun
Chen, S. K., see Co, H. C.
Chen, Yung-Jung, and Askin, R. G.: A multiobjective evaluation of flexible manufacturing system loading heuristics 895
Cheng, T. C. E., Analysis of material flow in a job shop with assembly operations . 1369
Cheng, T.-C., see Irizarry-Gaskins, V. M.
Chiou, J. M., see Liu, C. M.
Chiu, Kuohung Simon, see Askin, R. G.
Christy, D. P., and Kanet, J. J.: Manufacturing systems with forbidden early shipment: implications for choice of scheduling rules 91
Chu, Chao-Hsien, and Tsai, Mayshing: A comparison of three array-based clustering techniques for manufacturing cell formation 1417
Chung, Kun-Jen: A simplified procedure for the economic design of X-charts . . 1239
Co, H. C., Biermann, J. S., and Chen, S. K.: A methodical approach to the FMS batching, loading and tool configuration problems 2171
Cochran, J. K., see Lin, Li
Copas, C., and Browne, J.: A rules-based scheduling system for flow type assembly . 981
Cox, J. F., see Crawford, K. M.
Crawford, K. M., and Cox, J. F.: Designing performance measurement systems for just-in-time operations 2025

Dale, B. G., see Lascelles, D. M.
Dar-El, E. M., see Shtub, A.
Darvishi, A. R., and Gill, K. F.: Expert system rules for fixture design 1901
Davis, R. A., see Minifie, J. R.
De Kok, A. G.: Computationally efficient approximations for balanced flowlines with finite intermediate buffers 401
De Pennington, A., see Juri, A. H.
Dick, M. D., see Lo, E. K.
Dirne, C. W. G. M.: The quasi-simultaneous finishing of work orders on a flexible automated manufacturing cell in a job shop 1635
Djamaludin, I., see Murthy, D. N. P.
Dooley, K. J., see Mahmoodi, F.
During, W. E., see Blauw, J. N.
Dutta, S. P., see Abdou, G.
Dutta, S. P., see Liang, Ming

Egbelu, P. J., and Lehtihet, A.: Operation routeing with lot sizing consideration in a manufacturing system 503
Egbelu, P. J.: Machining and material flow system design for minimum cost production 353
Egbelu, P. J.: Route selection and flow control in a multi-stage manufacturing system with heterogeneous machines within stages 2137
Elliott, D. J. M., and Griffiths, B. J: A low cost artificial intelligence vision system for piece part recognition and orientation 1111
Elmaghraby, S. E., and Ferrell, W. G.: Quality assurance and stage dynamics in multi-stage manufacturing. Part II. 1083
Elmaghraby, S. E., see Ferrell, W. G.
Elsayed, E. A., and Kao, T. Y.: Machine assignments in production systems with manufacturing cells 489
Elsayed, E. A., see Nasr, N.
Erel, E., see Sarin, S. C.

Fang, S. C.: Detecting electrical shorts on printed circuit boards 1031
Feltz, C. A., see Sturm, G. W.
Ferrell, W. G., and Elmaghraby, S. E.: Quality assurance and stage dynamics in multi-stage manuracturing. Part I 853
Ferrell, W. G., see Elmaghraby, S. E.
Foote, B., see Matsumoto, Y.
Franks, I. T., Loftus, M., and Wood, N. T. A.: Discrete cell control 1623
Freedman, P., and Alami, R.: The analysis of repetitive sequencing at the workcell level: from workcell tasks to workcell cycles 1195

Gaiser, M., see Chandrashekhar, S.
Garetti, M., Pozzetti, A., and Baraggi, A.: On-line loading and dispatching in flexible manufacturing systems 1271
Gershwin, S. B., see Akella, R.
Ghobadian, A., and Husband, T.: Measuring total productivity using production functions 1435
Gilbert, J. P.: The state of JIT implementation and development in the USA . . 1099
Gill, K. F., see Darvishi, A. R.
Goetz, W. G. Jr, and Egbelu, P. J.: Guide path design and location of load pick-up/drop-off points for an automated guided vehicle system 927
Goetz, W. G. Jr, see Egbelu, P. J.
Goh, T. N., see Wee, E. H. T.
Goldberg, J. B., and Smith, E. A.: Repair policies for additively degrading machines 1955
Goldfeder, M., see Biagini, G.
Gramopadhye, A. K., see Prabhu, P. V.
Grasso, V.: AGV-served assembly lines: influence of sequencing and launch policies on system performances 1385
Graves, G. R., see Sahay, A.
Graves, R. J., see Taylor, D.
Griffiths, B. J., see Elliott, D. J. M.
Gupta, T., and Seifoddini, H.: Production data based similarity coefficient for machine-component grouping decisions in the design of a cellular manufacturing system 1247

Hancock, W. M., see Kelton, W. D.
Hancock, W. M., see Yang, Kai
Harhalakis, G., Nagi, R., and Proth, J. M.: An efficient heuristic in manufacturing cell formation for group technology applications 185
Harhalakis, G., see Nagi, R.
Harmonosky, C. M., and Sadowski, R. P.: The system generator concept for FMS research and analysis 559
Hassan, G. A., and Suliman, S. M. A.: Experimental modelling and optimization of turning medium carbon steel 1057
Heragu, S. S., and Kusiak, A.: Machine layout: an optimization and knowledge-based approach 615

Hitomi, K.: Analysis of optimal machining conditions for flow-type automated manufacturing systems: maximum efficiency for multi-product production . . 1153
Hitomi, K., see Yoshimura, M.
Hoffmann, T. R.: Assembly line balancing: a set of challenging problems 1807
Hopp, W. J., see Spearman, M. L.
Houshyar, A., and McGinnis, L. F.: A heuristic for assigning facilities to locations to minimize WIP travel distance in a linear facility 1485
Hsu, Lie-Fern, and Tapiero, C. S.: An economic model for determining the optimal quality and process control policy in a queue-like production system 1447
Huang, P. Y., see Philipoom, P. R.
Hui, Yer Van: Economic design of a complete inspection plan for bivariate products 259
Husband, T., see Ghobadian, A.
Hutchison, J., and Chang, Y.-L.: Optimal nondelay job shop schedules 245
Hwang, C. L., see Lee, Y. Y.
Hwang, Hark, and Lee, Seong Beak: Travel-time models considering the operating characteristics of the storage and retrieval machine 1779

Ikesaki, T., see Yamashina, H.
Inman, R. R., see Kuo, Hsiu-Wei
Irizarry-Gaskins, V. M., and Cheng, T.-C.: A knowledge based approach for automatic process plan generation in an electronic assembly environment 1673

Jaumard, B., Lu, Shi-Hui, and Sriskandarajah, C.: Design parameters selection and ordering of part-orienting devices 459
Johri, P. K.: A heuristic algorithm for loading new work on circuit pack assembly lines 1871
Juri, A. H., Saia, A., and De Pennington, A.: Reasoning about machining operations using feature-based models 153

Kanet, J. J., see Christy, D. P.
Kao, T. Y., see Elsayed, E. A.
Kaspi, M., and Tanchoco, J. M. A.: Optimal flow path design of unidirectional AGV systems 1023
Kavaratzis, Y., and Maiden, J. D.: Real time monitoring and adaptive control during CNC deep hole drilling 2203
Kayaligil, M. S.: Part-mix allocation between automated and conventional manufacturing 1847
Kelton, W. D., Hancock, W. M., and Bischak, D. P.: Adjustment rules on quality control charts 385
Kim, Joong-In, see Ro, In-Kyo
Kim, Yeong-Dae: A comparison of dispatching rules for job shops with multiple identical jobs and alternative routeings 953
Koo, T.-Y., and Case, K. E.: Economic design of X-bar control charts for use in monitoring continuous flow processes 2001
Kramer, B. A., see Lee, Y. Y.
Kuei, C.-H., see Chanin, M. N.
Kumamoto, H., see Yamashina, H.
Kumamoto, H., see Yamashina, H.
Kumar, C. S., and Chandrasekharan, M. P.: Grouping efficacy: a quantitative criterion for goodness of block diagonal forms of binary matrices in group technology . 233
Kumar, P., Tewari, N. K., and Singh, N.: Joint consideration of grouping and loading problems in a flexible manufacturing system 1345
Kuo, Hsiu-Wei, and Inman, R. R.: A practical heuristic for the group technology economic lot scheduling problem 709
Kusiak, A., and Park, K.: Concurrent engineering: decomposition and scheduling of design activities 1883
Kusiak, A., see Heragu, S. S.
Kwon, O-J., see Mellichamp, J. M.

Lascelles, D. M., and Dale, B. G.: The key issues of a quality improvement process . 131
Lee, An-Chen, Chen, Da-Pan, and Lin, Chih-Lung: A CAD/CAM system from 3D coordinate measuring data 2352
Lee, Seong Beak, see Hwang, Hark
Lee, Y. Y., Kramer, B. A., and Hwang, C. L.: Part-period balancing with uncertainty: a fuzzy sets theory approach 1771
Lefrancois, P., and Alie, Y.: A service-level-oriented heuristic approach to production planning in a robotized spinning-mill 1293
Lehtihet, A., see Egbelu, P. J.
Lehto, M., see Naruo, N.
Leisten, R.: Flowshop sequencing problems with limited buffer storage 2085
Li, Zhiming, see Abdel-Malek, L. L.
Liang, Ming, and Dutta, S. P.: A mixed-integer programming approach to the machine loading and process planning problem in a process layout environment . . 1471
Lin, C., see Chanin, M. N.
Lin, Chih-Lung, see Lee, An-Chen
Lin, Li, and Cochran, J. K.: Metamodels of production line transient behaviour for sudden machine breakdowns 1791
Linn, R. J., and Wysk, R. A.: An expert system based controller for an automated storage/retrieval system 735
Liu, C. M., and Chiou, J. M.: Design and performance evaluation of closed automatic assembly systems 1577
Liu, Fuh-Hwa Franklin, see Sharp, G. P.
Liu, Hsu-Chang, see Nnaji, B. O.
Lo, E. K., and Dick, M. D.: The solid modelling of part orienting tracks for automated assembly 1513
Lo, Yumei, and Tang, Kwei: Economic design of multi-characteristic models for a three-class screening procedure 2341
Loftus, M., see Franks, I. T.
Logendran, R.: A workload based model for minimizing total intercell and intracell moves in cellular manufacturing 913
Lu, Shi-Hui, see Jaumard, B.

Mahadevan, B., and Narendran, T. T.: Design of an automated guided vehicle-based material handling system for a flexible manufacturing system 1611
Mahmoodi, F., Dooley, K. J., and Starr, P. J.: An investigation of dynamic group scheduling heuristics in a job shop manufacturing cell. 1695
Maiden, J. D., see Kavaratzis, Y.
Maimon, O., see Akella, R.
Malakooti, B., Wang, Jun, and Tandler, E. C.: A sensor-based accelerated approach for mutliattribute machinability and tool life evaluation 2373
Malmborg, C. J.: A model for the design of zone control automated guided vehicle systems. 1741
Mann, L. Jr, see Sahay, A.
Matsumoto, Y., Tjiang, N., Foote, B., and Naerheim, Y.: Tool wear monitoring using acoustic emission in the existence of chatter. 1861
McClain, J. O., see Robinson, L. W.
McGinnis, L. F., see Houshyar, A.
Mellichamp, J. M., Kwon, O-J., and Wahab, A. F. A.: FMS Designer: An expert system for flexible manufacturing system design 2013
Melnyk, S. A., see Sturm, G. W.
Meredith, J. R., see Shafer, S. M.
Millen, R. A., see Afentakis, P.
Minifie, J. R., and Davis, R. A.: Interaction effects on MRP nervousness . . . 173
Montazeri, M., and van Wassenhove, L. N.: Analysis of scheduling rules for an FMS 785
Murthy, D. N. P., and Djamaludin, I.: Quality control in single production system: open and closed loop policies 2221

Naerheim, Y., see Matsumoto, Y.
Nagi, R., Harhalakis, G., and Proth, J.-M.: Multiple routeings and capacity considerations in group technology applications 2245
Nagi, R., see Harhalakis, G.
Narendran, T. T., see Mahadevan, B.
Narendran, T. T., see Srinivasan, G.
Naruo, N., Lehto, M., and Salvendy, G.: Development of a knowledge based decision support system for diagnosing malfunction of advanced production equipment 2261
Nasr, N., and Elsayed, E. A.: Job shop scheduling with alternative machines . . 1595
Nasri, F., Affisco, J. F., and Paknejad, M. J.: Setup cost reduction in an inventory model with finite-range stochastic lead times 199
Nee, A. Y. C., see Wee, E. H. T.
Nnaji, B. O., and Liu, Hsu-Chang.: Feature reasoning for automatic robotic assembly and machining in polyhedral representation. 517
Noble, J. S., and Tanchoco, J. M. A.: Concurrent design and economic justification in developing a product 1225
Nyirenda, J. C., see Anderson, E. J.

Ogawa, S., and Ohta, H.: Economic group testing 223
Ohta, H., see Ogawa, S.
Okumura, S., see Yamashina, H.
Okumura, S., see Yamashina, H.

Paknejad, M. J., see Nasri, F.
Pande, S. S., and Walvekar, M. G.: PRICAPP: A computer assisted process planning system for prismatic components 279
Park, C. S., see Son, Y. K.
Park, K., see Kusiak, A.
Parks, C. M., see Sahay, A.
Perkins, W. C., see Smunt, T. L.
Philipoom, P. R., Rees, L. P., Taylor, B. W. III, and Huang, P. Y.: A mathematical programming approach for determining workcentre lotsizes in a just-in-time system with signal Kanbans 1
Pourbabai, B.: Optimal utilization of a finite capacity integrated assembly system . 337
Powell, S. G., see Baker, K. R.
Pozzetti, A., see Garetti, M.
Phabhu, P. V., Gramopadhye, A. K., and Wang, Hsu-Pin (Ben): A general mathematical model for optimizing NC tool path for face milling of flat convex polygonal surfaces 101
Proth, J. M., see Achard, G.
Proth, J. M., see Harhalakis, G.
Proth, J.-M., see Nagi, R.
Pyke, D. F., see Baker, K. R.

Rahbary, M. A., and Blount, G. N.: A minimum trajectory for machine tool dynamics 1977
Rajamani, D., Singh, N., and Aneja, Y. P.: Integrated design of cellular manufacturing systems in the presence of alternative process plans 1541
Ram, B., Sarin, S., and Chen, C. S.: A model and a solution approach for the machine loading and tool allocation problem in a flexible manufacturing system . . 637
Raz, Tzvi, see Wang, Jyh-Hone
Rees, L. P., see Philipoom, P. R.
Rho, Boo-Ho, and Whybark, D. C.: Comparing manufacturing planning and control practices in Europe and Korea 2393
Ro, In-Kyo, and Kim, Joong-In: Multi-criteria operational control rules in flexible manufacturing systems (FMSs) 47
Robinson, L. W., McClain, J. O., and Thomas, L. J.: The good, the bad and the ugly: Quality on an assembly line. 963
Rockwell, T. H. Jr, and Wilhelm, W. E.: Material flow management in cellular configurations for small-lot, circuit card assembly 573
Rodgers, R. V., see White, K. P. Jr

Sadowski, R. P., see Harmonosky, C. M.
Sahay, A., Graves, G. R., Parks, C. M., and Mann, L. Jr: A methodology for recognizing features in two-dimensional cylindrical part designs 1401
Saia, A., see Juri, A. H.
Salgame, R. R., see Sarin, S. C.
Salvendy, G., see Naruo, N.
Sarin, S. C., and Erel, E.: Development of cost model for the single-model stochastic assembly line balancing problem 1305
Sarin, S. C., and Salgame, R. R.: Development of a knowledge-based system for dynamic scheduling 1499
Sarin, S., see Ram, B.
Sassani, F.: A simulation study on performance improvement of group technology cells 293
Schall, S. O., and Chandra, M. J.: Optimal tool inspection intervals using a process control approach 841
Seifoddini, H., see Gupta, T.
Shafer, S. M., and Meredith, J. R.: A comparison of selected manufacturing cell formation techniques 661
Sharp, G. P., and Liu, Fuh-Hwa Franklin: An analytical method for configuring fixed-path, closed-loop material handling systems 757
Shin, W. S., Bullington, S. F., and Causey, D. W.: A procedure for scheduling punch presses with restrictions on the sequence of punches 723
Shtub, A., and Dar-El, E. M.: An assembly chart oriented assembly line balancing approach 1137
Shunmugam, M. S., and Somasundaram, G.: Investigations into reaming processes using a frequency-decomposition technique 2065
Silver, E. A.: Deliberately slowing down output in a family production context . . 17
Singh, N., and Sushil: A physical system theory framework for modelling manufacturing systems. 1067
Singh, N., see Kumar, P.
Singh, N., see Rajamani, D.
Smith, E. A., see Goldberg, J. B.
Smunt, T. L., and Perkins, W. C.: Discussion. The efficiency of unbalancing production lines: an alternative interpretation 1219
So, K. C.: Discussion. On the efficiency of unbalancing production lines: a reply to an alternative interpretation 1221
So, K. C.: The impact of buffering strategies on the performance of production line systems. 2295
Solomon, M. M., see Afentakis, P.
Solot, P., see Widmer, M.
Somasundaram, G., see Shunmugam, M. S.
Son, Y. K., and Park, C. S.: Quantifying opportunity costs associated with adding manufacturing flexibility 1183
Spearman, M. L., Woodruff, D. L., and Hopp, W. J.: CONWIP: a pull alternative to kanban. 879
Sridharan, V., and Berry, W. L.: Master production scheduling make-to-stock products: a framework for analysis 541
Srinivasan, G., Narendran, T. T., and Mahadevan, B.: An assignment model for the part-families problem in group technology 145
Sriskandarajah, C., see Jaumard, B.
Stafford, E. F. Jr, and Tseng, F. T.: On the Srikar-Ghosh MILP model for the N × M SDST flowshop problem 1817
Starr, P. J., see Mahmoodi, F.
Stoeva, S. P.: A due date-based dispatching rule for flexible manufacturing systems . 1991
Striekwold, P. E. T.: A quantitative comparison of production and inventory control concepts 1921
Sturm, G. W., Melnyk, S. A., Feltz, C. A., and Wolter, J. F.: Sufficient statistics process control: An empirical Bayes approach to process control 1329
Suliman, S. M. A., see Hassan, G. A.
Sullivan, R. S., see Chang, Yih-Long

Suresh, N. C.: Towards an integrated evaluation of flexible automation investments 1657
Sushil, see Singh, N.
Svestka, J. A.: Imposing precedence constraints on NC punch press sequences . . 2309

Tanchoco, J. M. A., see Kaspi, M.
Tanchoco, J. M. A., see Noble, J. S.
Tandler, E. C., see Malakooti, B.
Tang, Kwei, see Lo, Yumei
Tapiero, C. S., see Hsu, Lie-Fern
Taylor, B. W. III, see Philipoom, P. R.
Taylor, D., and Graves, R. J.: An examination of routeing flexibility for small batch assembly of printed circuit boards 2117
Tewari, N. K., see Kumar, P.
Thomas, L. J., see Robinson, L. W.
Thomasma, T., see Ulgen, O. M.
Tjiang, N., see Matsumoto, Y.
Tsai, Mayshing, see Chu, Chao-Hsien
Tseng, F. T., see Stafford, E. J. Jr

Ulgen, O. M., and Thomasma, T.: SmartSim: An object oriented simulation program generator for manufacturing systems 1713

van Wassenhove, L. N., see Montazeri, M.
Ventura, J. A., Chen, F. F., and Wu, C.-H.: Grouping parts and tools in flexible manufacturing systems production planning 1039
Vohra, T., Chen, D.-S., Chang, J. C., and Chen, H.-C.: A network approach to cell formation in cellular manufacturing 2075

Wahab, A. F. A., see Millichamp, J. M.
Walvekar, M. G., see Pande, S. S.
Wang, H., and Wang, H.-P.: Determining the number of kanbans: a step toward non-stock-production 2101
Wang, H.-P., see Wang, H.
Wang, Hsu-Pin (Ben), see Prabhu, P. V.
Wang, Jun, see Malakooti, B.
Wang, Jyh-Hone, and Raz, Tzvi: On the construction of control charts using linguistic variables 477
Wang, Shu-Chun, and Chen, Jiang: An expert system for designing precision forging dies 943
Wee, E. H. T., Nee, A. Y. C., and Goh, T. N.: Off-line adaptive optimization of CNC lathe turning 2157
Whinston, A. B., see Chaudhury, A.
White, K. P. Jr, and Rodgers, R. V.: Job-shop scheduling: limits of the binary disjunctive formulation 2187
Whybark, D. C., see Rho, Boo-Ho
Widmer, M., and Solot, P.: Do not forget the breakdowns and the maintenance operations in FMS design problems! 421
Wilhelm, W. E., see Rockwell, T. H. Jr
Wolter, J. F., see Sturm, G. W.
Wood, N. T. A., see Franks, I. T.
Woodruff, D. L., see Spearman, M. L.
Wu, C.-H., see Ventura, J. A.
Wysk, R. A., see Linn, R. J.
Wysk, R., see Zhou, Chen

Yamashina, H., Kumamoto, H., Okumura, S., and Ikesaki, T.: Failure diagnosis of a servovalve by neural networks with new learning algorithm and structure analysis 1009
Yamashina, H., Okumura, S., and Kumamoto, H.: Automatic detection of wear and chipping tools by image processing techniques 647
Yang, Kai, and Hancock, W. M.: Statistical quality control for correlated samples . 595

Yoshikawa, N., see Yoshimura, M.
Yoshimura, M., Yoshikawa, N., and Hitomi, K.: Design optimization of industrial robots considering the working environment 805
Young, L., see Chang, C.-M.

Zeestraten, M. J.: The look ahead dispatching procedure 369
Zhou, Chen, Chandra, J., and Wysk, R.: Optimal cutting tool replacement based on tool wear status 1357
Zoller, K.: Coordination of replenishment activities 1123